has applied to this Court for a Certificate under Act VII of 1901, to collect debts payable in respect of the estate of A. Venkatesha Murthi, deceased, resident of Tumkur.

Notice is hereby given of the said application and all claimants in the estate of the said A. Venkatesha Murthi, deceased, are invited to appear in this Court on Monday the 18th day of December 1939 when the petition of the said Nagaratnamma, minor by guardian T. N. Kalingappa, applicant, will be heard, and the right to the certificate will be determined.

Given under my hand and the seal of the Court, this 24th day of November 1939.

U. D. NARAYANA MURTHI,
Additional Sub-Judge.

THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending, 24th November 1939, published under Article 141 of the Articles of Association.

LIABILITIES	Rs.	ASSETS	Rs.
To Capital Receipts	20,00,000	By Cash in Hand and at Bankers ..	21,17,613
„ Reserve Fund	26,50,000	„ Loans and Cash Credit Accounts	1,81,73,592
„ Public and other Deposits ..	2,74,65,467	„ Bills discounted and purchased ..	12,74,459
„ Sundries	4,83,331	„ Investments	99,14,176
		„ Balance at Agencies	..
		„ Dead Stock	9,52,766
		„ Sundries	1,36,192
Total Rs.	3,25,98,798	Rs.	3,25,98,798

(Annas and pies omitted.)

BANGALORE,
Dated 28th November 1939.

F. L. PERADON,
Manager.

"I intend moving the Hon'ble the High Court of Mysore, to enrol me as an Advocate thereof."

M. N. NARAYANA RAO, B.A., LL.B.

Notice dated 28th November 1939.

Be it known to one and all that V. Thimmanna, Cloth Merchant, Chickanayakanahally (Tumkur District), has changed his name to C. L. Thimmanna.

V. THIMMANNA.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 14463-68, *dated 25th November* 1939.

To

The Firms dealing in Double Bullock Carts.

Enquiry No. 3766.

DOUBLE BULLOCK CARTS REQUIRED FOR THE CATTLE BREEDING STATION, HUNSUR.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule in the form printed overleaf.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Double Bullock Carts required for the Cattle Breeding Station, Hunsur", with the above enquiry number.

This enquiry will be closed on the 12th December 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Double Bullock Carts of specification noted below	4	Delivery.—*Free at the Cattle Breeding Station, Hunsur.*	
1	Wheels.—5 Ft. height, 12 spokes of $1\frac{3}{4}'' \times 3\frac{1}{2}''$.			
2	Rim.—$6\frac{1}{4}'' \times 2\frac{1}{2}''$ Teakwood.			
3	Hub.—Made of jali wood.			
4	Tyres.—$2\frac{1}{4}''$ width and $\frac{1}{2}''$ thick mild steel.			
5	Mookimara in front $14\frac{1}{2}' \times 3\frac{1}{4}'' \times 3\frac{1}{4}''$. Mookimara in back $14\frac{1}{2}' \times 4\frac{1}{2}'' \times 4\frac{1}{2}''$ (mathi wood).			
6	Irchi Mara.—$3\frac{1}{2}'' \times 10'' \times 6''$, Jali wood.			
7	Axle.—$2\frac{1}{4}''$ square, M.S. (Mild Steel).			
8	Pari Mara, Mathi $8\frac{1}{2}' \times 4\frac{1}{2}'' \times 2\frac{3}{4}''$.			
9	Width of Cart, 3 feet.			

N.B.—Complete with jungle wood bottom planks of $1\frac{1}{2}''$ thick, pegs of $2\frac{1}{2}$ ft. (J.W.) high and fitted with mild steel bushers, bands, round Gumba on either side, nails, yoke axle cotter pins, etc.

No. S. P. C. 15544-66, *dated 22nd November* 1939.

To

The Firms dealing in Galvanized Steel Pins.

Enquiry No. 3780.

GALVANIZED STEEL PINS, ETC., REQUIRED FOR THE GOVERNMENT PORCELAIN FACTORY.

GENTLEMEN,

Please be good enough to intimate your best prices f.o.r., Bangalore and the earliest time of delivery for the materials described in the schedule noted below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Galvanized steel pins for the Government Porcelain Factory" with the above enquiry number.

This enquiry will be closed on the 28th December 1939.

SCHEDULE.

Item No.

1. 20,000 Nos. $5.\frac{1}{2}'' \times \frac{5}{8}''$ galvanized steel pins complete with nut, one rubber washer and one round G. I. Washer as per drawing No. 9 G.
2. 15,000 Nos. $8'' \times \frac{5}{8}''$ galvanized steel pins with 4" length below collar complete with nut, one rubber washer and one round G. I. Washer as per drawing No. 30 G.
3. 15,000 Nos. $8'' \times \frac{5}{8}''$ galvanized steel pins with 4" length below collar complete with nut, one rubber washer and one round G. I. Washer as per drawing No. 37 G.
4. 15,000 Nos. $8\frac{1}{2}'' \times \frac{5}{8}''$ galvanized steel pins with 4" length below collar complete with nut, one rubber washer and one round G. I. Washer as per drawing No. G. 41.
5. 20,000 Nos. $9'' \times \frac{5}{8}''$ galvanized steel pins with 5" length below collar complete with nut, one rubber washer and one round G. I. Washer as per drawing No. 13 G.

(The drawings referred to above can be had from the undersigned on application).

The galvanizing of the materials should strictly conform to the following specifications.

(*a*) The galvanizing shall consist of an even coating of pure zinc of uniform thickness and shall be applied preferably by the hot process so that it adheres firmly to the ferrous material. The finished surface shall be smooth. The galvanizing shall be done after the parts have been machined when machining is required.

(*b*) The zinc galvanizing should correspond to the following corrosion test of British Engineering Standard Association Specification :—

(1) If protected from corrosion by means of zinc galvanizing the iron or steel member shall be immersed in a freshly made saturated neutral solution of copper sulphate at a temperature of 60° F (15·6° C) and shall be allowed to remain in solution for one minute after which it shall be withdrawn and wiped clean. The protective covering shall admit of this process being performed four times without any signs of a deposit of metallic copper showing on the samples.

The quantities mentioned against the several items are only approximate and our actual requirements may be less.

N.B.—Samples of the materials offered should be sent with your quotation. Otherwise the quotation will not be considered.

No. S. P. C. 16243-8, *dated 23rd November* 1939.

To

The Firms dealing in Steel Almirah.

Enquiry No. 3789.

STEEL ALMIRAH.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Steel Almirah", with the above enquiry Number.

This enquiry will be closed on the 11th December 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Steel Shelving Almirah of the following dimensions :—		*Mysore.*	
		Outside.	*Inside.*	
	Height ..	6′	5½′	
	Width ..	3′	3′	
	Depth ..	19″	17½″	
	with five shelves including bottom, painted olive green.			

N.B.—The thickness of the plates used in the manufacture of the almirah should be specified.

No. S. P. C. 16375-81, dated 24th November 1939.

To

The Furniture Contractors,

Enquiry No. 3791.

GENTLEMEN,

Please intimate your best present day prices for articles of furniture noted below fordeli very free at Nandi Hill Station.

Your quotation should be subject to the conditions of contract enclosed and should reach this office by 11th December 1939.

The quotations should be superscribed "Quotations for furniture required for Nandi Hill Station" with the above enquiry number.

SCHEDULE OF ARTICLES.

Sl. No.	*Description of articles*	*Number required*
1.	*Teakwood Meat-Safe :*— 3'H, 4'L, 2'W, with two shutters having wire-gauze and three compartments complete with good hasps and staples. Thickness of bottom and top planks $\frac{3}{4}$" wire gauze alround. Bottom legs 6"×2"×2" plain	3
2.	*Teakwood Hot Case :*— Zinc sheets with black Japan paint, 3'H, 4'L, 2'W, with two zinc sheet shutters and three compartments with square mesh. Top and bottom with thick zinc sheets and bottom with an additional tray for keeping charcoal stove with 1" brim alround	2
3.	*Teakwood Chest of Drawers :*— 4'H, 3'W, 2'D, with four compartments—top one to be half-shelves. 4" brass handles complete. Thickness of planks $\frac{3}{4}$"	2
4.	*Teakwood Hall Stand :*— Mirror 12"×10". Stand with hat and coat, good hooks complete and glove box. Size 6'×2$\frac{1}{2}$"	2
5.	*Teakwood Folding Chairs :*— Venista pattern with Teakwood for bottom	24
6.	Do Plywood for bottom	24

Conditions of contract for the supply of articles of furniture.

1. The articles will be required to be manufactured according to our specifications out of well seasoned Mysore Teakwood or Rosewood, as the case may be, free from all defects, such as knots bends, white and sap wood, etc. All the articles are required to be well polished and varnished.

2. The articles will be subject to inspection by an officer to be deputed for the purpose both during manufacture and after completion and such of the articles as may be found defective during such inspection, either due to bad workmanship or due to use of bad materials, will be rejected and you will be required to replace them by sound ones according to specification.

3. The soundness of all the articles should be guaranteed for one year during which period the defects that may be noticed by the department will have to be rectified by you at your cost.

4. You should be prepared to execute an agreement undertaking to abide by the conditions of our tender and also to deposit as security a sum not less than five per cent of the value of the order.

5. Withdrawal from the quotation after it is accepted or failure to make supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of three per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

No. S. P. C. 16512-17, dated 25th November 1939.

To

The Firms dealing in Pneumatic Tyred Carts.

Enquiry No. 3793.

PNEUMATIC TYRED CARTS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimte your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Pneumatic Tyred Carts', with the above enquiry Number.

This enquiry will be closed on the 12th December 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price qouted F. O. R.	Time of delivery
	Pneumatic Tyred Carts—(Wheeled and tyre equipment only with the axles) as noted below.		*Mandya.*	
	8·00×19	3 Sets		
	5·00×19	1 Set		

N.B.—The Body will be built by us.

No. S. P. C. 16787-93, dated 28th November 1939.

To

The Firms dealing in Steel Wire Hoist Rope.

Enquiry No. 3795.

STEEL WIRE HOIST ROPE.

GENTLEMEN,

I write to request you to quote your best price and earliest time of delivery for the following material, conforming to the undermentioned specifications.

1640 ft.—Steel wire Hoist Rope in two lengths of 820 ft. each, and of not less than $\frac{3}{4}''$ diameter.

Full and detailed specifications of the material offered should be furnished in your tender.
The price to be quoted should be for delivery c.i.f., Madras.
This enquiry will close on the 20th January 1940.

Specification for Steel Wire Hoist Rope foreign maintenance materials for 1939-40.

The Hoist rope should be of two lengths, each 820 ft. of not less than $\frac{3}{4}''$ diameter, weighing 9 lbs. per foot.

The Hoist Rope must be in one piece. The wires used in the construction of the rope must each be made as long as possible and when the strands are being spun if it is found necessary to join the wire, they must be lapped for a distance of at least 3 feet at each joint to ensure satisfactory and uniform tensile strength throughout the length of the rope. The rope is to have a central core

made of the best long fibre hemp thoroughly saturated with high grade tar. Firms tendering must fill in the following particulars and tests of the rope they offer :—

1. Circumference of rope in inches.
2. Number of strands.
3. Number of wires in each strand.
4. Diameter of each wire in inches.
5. Breaking stress of each wire in lbs.
6. Number of twists each wire will stand in a length of 6 inches.
7. Description of core in the rope.
8. Description of core in each strand.
9. Number of twists per foot of finished rope.
10. Breaking strength of each strand in lbs.
11. Weight per foot of rope in lbs.

Testing.—The wire and strands shall be tested to the full extent specified. The number of twists the wire will stand without breaking must not be less than the number given above. The wires in every case will be selected from the finished rope and tested in such a manner as Mysore Government shall direct and any failing to stand the specified tests, the ropes represented by the tests will be rejected. Each wire must be tested for "*Tensile*" and "*Twist*" tests.

Yours faithfully,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.

No. S. P. C. 16279-98, *dated 23rd November* 1939.

NOTICE.

Enquiry No. 3790.

Sealed tenders will be received by the Secretary, Stores Purchase Committee for the supply of Structural Steel materials or Reinforced concrete materials required for a foot overbridge in the Mysore State Railway Goods Yard, during the year 1939-40 up to the 22nd of December 1939.

Intending tenderers may, on application to the Secretary Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 3 which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps will not be accepted towards the cost of forms nor will the forms be sent by V. P. P.

By Order,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.